AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (currently amended) Pharmaceutical dietetic or nutritional compositions A composition comprising:
- one or more polycosanols or esters thereof, either
 pure or as extracts;
- at least one of tocotrienol and/or and lycopene,
 preferably tocotrienol;
- one or more procyanidole oligomers optionally complexed with phospholipids; and
- a vegetable oil rich in ω -3, ω -6 unsaturated fatty acids, wherein the composition is a pharmaceutical, dietetic or nutritional composition.
- 2. (currently amended) Compositions The composition as claimed in claim 1, in which wherein the vegetable oil is selected from Enothera biennis, Ribes nigrum [[or]] and Portulaca oleracea oil.
- 3. (currently amended) Compositions The composition as claimed in claim 2, in which wherein the vegetable oil is Enothera biennis oil.

Docket No. 2503-1185 Appln. No. 10/562,214

- 4. (currently amended) Compositions The composition as claimed in claim 1, further containing comprising luteolin cither per se or in the form of or a 7,3', 4'-hydroxyethyl derivative thereof derivatives.
- 5. (currently amended) Compositions The composition as claimed in claim 1, in which comprising polycosanol esters, wherein the polycosanol esters are polycosanols [[are]] esterified with ferulic acid or other variously substituted cinnamates.
- 6. (currently amended) Compositions The composition as claimed in claim 1, in which wherein the procyanidole oligomers derive are derived from the group consisting of Vitis vinifera, Camellia sinesis, Aesculus hippocastanum, and Olea europa.
- 7. (currently amended) Compositions The composition as claimed in claim 1, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.
- 8. (withdrawn) Method for the preparation of hypocholesterolemizing and/or anti-atherosclerotic pharmaceutical,

dietetic or nutritional compositions, which comprises using a combination of an effective amount of:

- one or more polycosanols, in the free or esterified form, either pure or extracts containing them;
 - tocotrienol and/or lycopene, preferably tocotrienol;
- one or more procyanidole oligomers optionally complexed with phospholipids;
- a vegetable oil rich in $\omega{-}3\text{, }\omega{-}6$ unsaturated fatty acids..
- 9. (currently amended) Compositions The composition as claimed in claim 2, further containing comprising luteolin either per se or in the form of or a 7,3', 4'-hydroxyethyl derivative thereof derivatives.
- 10. (currently amended) Compositions The composition as claimed in claim 3, further containing comprising luteolin cither per se or in the form of or a 7,3', 4'-hydroxyethyl derivative thereof derivatives.
- 11. (currently amended) Compositions The composition as claimed in claim 1, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.

- 12. (currently amended) Compositions The composition as claimed in claim 3, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.
- 13. (currently amended) Compositions The composition as claimed in claim 4, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.
- 14. (currently amended) Compositions The composition as claimed in claim 5, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.
- 15. (currently amended) Compositions The composition as claimed in claim 6, comprising 5 to 30 mg of polycosanols, 1 to 50 mg of tocotrienol or lycopene, 100 to 320 mg of proanthocyanidins complexed with phospholipids, and 150 to 300 mg of vegetable oil, per unitary dosage form.

Docket No. 2503-1185 Appln. No. 10/562,214

16. (new) The composition as claimed in claim 1, comprising tocotrienol.